

Republic of the Philippines
OVERSEAS WORKERS WELFARE ADMINISTRATION
 OWWA Center Bldg., F.B. Harrison St., Cor. 7th St., Pasay City
 Tel# 833-0113 Telefax# 833-1010

P.R. No. 2023-05-0062
 DATE: 26-May-23

REQUEST FOR QUOTATION / PROPOSAL

COMPANY NAME:

ADDRESS OF COMPANY:

To whom it may concern:

Please quote your lowest price/s (**taxes included**) on the lot or item/s below, subject to the General Conditions indicated herein, stating the shortest time of delivery and submit your quotation using your company letterhead or this form duly signed by your official representative to Overseas Workers Welfare Administration, Third Floor OWWA Center Building, 7th Street corner, FB Harrison, Pasay City not later than **02 June 2023, 10:00 a.m.**

for: *Marygrace*
MARIAN GABRIEL F. PIZARRA
 Supply Officer

rs. satchalian
Engr. GERARDO S. GATCHALIAN
 OIC, PPMD

PROJECT TITLE/NAME: Proposal for One (1) Lot - Supply and Delivery of Various Sound System Components for OWWA Central Office, Multi-purpose Hall and Auditorium at OWWA DevCen, Intramuros					DEALER'S/SUPPLIER'S OFFER	
ITEM NO.	SPECIFICATIONS	QTY	UNIT	APPROVED BUDGET FOR CONTRACT	UNIT COST (Vat inclusive)	TOTAL COST (Vat inclusive)
1.	One (1) Lot - Supply and Delivery of Various Sound System Components for OWWA Central Office, Multi-purpose Hall and Auditorium at OWWA DevCen, Intramuros	1	Lot	₱ 100,000.00		
	Wireless Mircophone	2	pcs			
	Specifications:					
	System					
	- Wireless Transmission: Analog UHF					
	- Number of RH Channels: 123					
	- Included Transmitters: 1 x Handheld					
	- RF Frequency Band: K3E: 606 to 630 MHz					
	- RF Bandwidth: 24 MHz					
	- RF Channel Scanning: Auto-Scan					
	- Dynamic Range: 100 dBA					
	Receiver					
	- Antenna: 2x Internal					
	- Number of Audio Channels:1					
	- Audio I/O: 1x XLR: 3-Pin Male Balanced Output					
	- 1 x 1/4": TS Female Unbalanced Output					
	- Audio Ouput Level: XLR Output: -27 dBV (Mic Level)					
	- 1/4" Output: -13 dBV (Instrumental)					
	- Frequency Response: 50 Hz to 15 kHz (Dependent of Mic)					
	- Power Requirements: AC/DC Power Adapter					
	- AC/DC Power Adapter: 15 to 15 VDC at 160 mA, Center-Positive (Included)					
	- AC Input Power: 100 to 240 VAC, 50/60 Hz					
	- Display and Indicators: 1 x Multi-Segment LED (Channel, Group)					
	- 2 x LED (AF Levele, Sync)					
	Transmitter					
	- Form Factor: Handheld					
	- RF Output Power: 10 mW					
	- Muting: Off/On Switch					
	- Sync Method: Manual					
	- Antenna: 1x Internal (Handheld)					

- Power Requirements: Battery				
- Battery Type: 2 x AA (Included)				
- Display and Indicators: 1 x Multi-Segment LED (Channel, Group)				
- 1 x LED (Battery Status, Power)				
Microphone				
- Form Factor: Handheld Capsule				
- Sound Field: Mono				
- Capsule: Dynamic				
- Polar Patter: Cardioid				
- Frequency Range: 50 Hz to 16 kHz				
Amplifier	1	pc		
- Frequency Response 20 Hz - 20 kHz, +0/-1 dB (at 1 watt)				
- THD <0.5%, 20 Hz - 20 kHz				
- Intermodulation Distortion =/ <0.35% (60Hz and 7 kHz at 4:1 from full rated output to -30dB)				
- Slw Rate: >10V/us				
- Voltage Gain 33 dB				
- Damping Factor (8 ohms, 10 Hz to 400 Hz)>200				
- Signal to Noise Ratio (A-weighted) >100 dB				
- Crosstalk (below rated power) 20Hz to 1 kHz -75 dN, -59 dB				
- Input Sensitivity (for full rated power at 8 ohms) 0.775V or 1.4V)				
- Input Impedence (Nomial balanced, unbalanced)				
- AC Line Voltage and Frequency configurations available (+10%) 120V-60 Hz; 220V-50/60 Hz; 230-240V-50/60 Hz				
- Dimensions 19" x 3.5" x 12.4" (48.3 cm x 8.9cm x 31.5cm)				
- Weight: 29.7lbs (13.5kg)				
- IEC Power Connector 15A				
Microphone Cable	5	pcs		
- XLR Female Connector				
- XLR Male Connector				
- Length: 15m				
- Wire Color: Black (bk)				
Storage Box Audio System - 20m - 8 input / 4 output Balanced CH - K/ Series Connectors	1	pc		
+ specifications				
- Series: Series K				
- Panel-mount connections: 8 x XLR FE / 4 x XLR MA				
- Cable-mount connections: 8 x XLR MA / 4 x XLR FE				
- Channels: 8 Input / 4 Output				
- XLR Type: "K" Series				
- Number of Pairs: 12				
- Length: 20m				
Additional Documentary Requirements must be submitted upon submission of offer:				
1. PhilGEPS Certificate or PhilGEPS Registration Number				
2. Mayor's / Business Permit				
Please take note that the Omnibus Sworn Statement shall be submitted within 5 days upon acceptance of Notice of Award.				
Note: Bidders may also submit their bid proposal and supporting documents through email address: procurement@owwa.gov.ph				

