

Republic of the Philippines
OVERSEAS WORKERS WELFARE ADMINISTRATION
 OWWA Center Bldg., F.B. Harrison St., Cor. 7th St., Pasay City
 Tel# 833-0113 Telefax# 833-1010

P.R. No. 2023-10-0116
 2023-10-0117
 DATE: 20-Oct-23

REQUEST FOR QUOTATION / PROPOSAL

COMPANY NAME:

ADDRESS OF COMPANY:

To whom it may concern:

Please quote your lowest price/s (**taxes included**) on the lot or item/s below, subject to the General Conditions indicated herein, stating the shortest time of delivery and submit your quotation using your company letterhead or this form duly signed by your official representative to Overseas Workers Welfare Administration, Third Floor OWWA Center Building, 7th Street corner, FB Harrison, Pasay City not later than **27 October 2023, 10:00 a.m.**


MARIAN GABRIELLE F. PIZARRA
 Supply Officer


Engr. GERARDO S. GATCHALIAN
 OIC, PPMD

PROJECT TITLE/NAME: Proposal for the Supply and Delivery of Various Machinery and Equipment					DEALER'S/SUPPLIER'S OFFER	
ITEM NO.	SPECIFICATIONS	QTY	UNIT	APPROVED BUDGET FOR CONTRACT	UNIT COST (Vat inclusive)	TOTAL COST (Vat inclusive)
Supply and Delivery of Various Machinery and Equipment						
	LOT 1			₱ 90,000.00		
1.	Ear Muff, Over-the-head	5	pcs			
2.	Gas Mask	4	pcs			
3.	Hard Hat	15	pcs			
4.	Full Protection Arrester, Double Lanyard	6	pcs			
5.	Torch Lights/Flashlights	6	pcs			
6.	Safety Shoes with Steel Toe (Various sizes) Mid cut	15	pairs			
	<i>(Please see attached Technical Specifications)</i>					
	LOT 2			₱ 100,000.00		
1.	Rotary Hammer Drill	2	pcs			
2.	Bolt Cutter, Heavy Duty 18", 450mm-5/16" cutting capacity	1	pc			
3.	Digital Clamp Meter	1	pcs			
4.	Cordless Screwdriver	1	pcs			
5.	Angular Sander	1	pcs			
6.	Cut-off Machine 16", 200W, 230V	1	pc			
7.	Angle Grinder	2	pcs			
	<i>(Please see attached Technical Specifications)</i>					
Additional Documentary Requirements must be submitted upon submission of offer:						
1. PhilGEPS Certificate or PhilGEPS Registration Number						
2. Mayor's / Business Permit						
Please take note that the Omnibus Sworn Statement shall be submitted within 5 days upon acceptance of Notice of Award.						
Note: Bidders may also submit their bid proposal and supporting documents through email address: procurement@owwa.gov.ph						

**TECHNICAL SPECIFICATIONS
VARIOUS MACHINERY AND EQUIPMENT**

LOT 1 – Php90,000.00

Item No.	Qty	Unit Measure	Item Description
1	5	pcs	EAR MUFF, OVER-THE HEAD <ul style="list-style-type: none"> • Stainless steel headband distributes weight for low pressure fit • Earcup pivot points tilt for comfort that adjusts to individual wearers • Noise Reduction Rating (NRR) 25 decibels • Color: Yellow • Application: Assembly, Facility maintenance, demolition, grinding, electrical, machine operation, sanding, etc.
2	4	pcs	GAS MASK <ul style="list-style-type: none"> • Dual Filter, Application: Paint Preparation, UV Protection, Assembly & Mechanical, Welding, Painting, Sawing, Cleaning, Chemical Handling, • Full Facepiece
3	24	pcs	HARD HAT <ul style="list-style-type: none"> • Type I - Class C Hard Hats • with Chin Strap White HDPE Shell Material Ratchet Type Adjustment • Safety Orange – 15 pcs / White – 9 pcs
4	6	pcs	FULL PROTECTION ARRESTER, DOUBLE LANYARD <ul style="list-style-type: none"> • Set of seat made of Polyester fiber material, the connecting and locking are made of stainless steel. • Attach a D-lock hook on the back. • Strap at comfortable sitting position. • Adjustable straps in the thigh, chest and abdomen to feel comfortable & comfortable for the user. • Combined with the suspension hook 1 hook to, made of Polyamide fiber material, the lock is made of stainless-steel metal. The static force wire is 22 kN and the dynamic force is 6 kN. • Double safety belt with shock absorber. • The structure consists of a fixed wire to the shock; one end is the key H-3101 with aperture of 53mm. • The product clearly shows the parameters such as production standards, production year, production materials, manufacturers. • Standard: • Safety belts are standard EN361: 2002, CE0321 • Suspension belts meet the standard CE 0299, EN355.
5	8	pcs	TORCH LIGHT/FLASHLIGHTS <ul style="list-style-type: none"> • LED, rechargeable • Aviation Grade aluminum alloy: 6N01-T6 • Brightness: • Max: 400 lumens, Mid: 150 lumens, Low: 50 lumens • Use 15650 Li ion Battery • High light: 4H Runtime • Low light: 18H runtime • Four switches: high, middle and low light
6	15	pcs	SAFETY SHOES WITH STEEL TOE MID CUT <ul style="list-style-type: none"> • Various sizes

LOT 2 – Php100,000.00

Item No.	Qty	Unit Measure	Item Description
1	2	pcs	<p>ROTARY HAMMER DRILL</p> <ul style="list-style-type: none"> • Powerful 7 AMP motor delivers 2.1 ft. lbs. of impact energy to handle the most demanding applications • Anti-Vibration Technology (AVT®) is an internal counterbalance system that greatly reduces vibration by moving a counterweight in the opposite direction of drive piston • Integrated damper spring at the base of the impact bolt is engineered to absorb impact vibrations from the drill bit • Torque limiting clutch engineered to prevent gear damage by automatically disengaging gears if the bit binds • L.E.D. light illuminates drilling surface for more productivity in low light applications • Recessed hammer function selector located below gear housing for improved durability • Variable speed trigger enables user to match the speed to the application for greater versatility • 3-mode operation for various applications with "Rotation Only", "Hammering with Rotation" or "Chipping Only" functions • 40-bit angle settings allow the bit to be set at different positions for operating convenience • Ergonomic "Pistol-grip" handle with rubberized soft grip for increased comfort • Bit type; SDS Plus • Corded type 220 V
2	1	pc	<p>BOLT CUTTER, HEAVY DUTY 18", 450mm-5/16" cutting capacity</p>
3	1	pc	<p>CLAMP METER</p> <ul style="list-style-type: none"> • AC current Range 40.00 A / 400.0 A • Accuracy 2% ± 5 digits (45 Hz to 65 Hz) 2.5% ± 5 digits (65 Hz to 400 Hz) • DC current Range 40.00 A / 400.0 A • Accuracy 2% ± 5 digits • AC voltage Range 600.0 V • Accuracy 1.5% ± 5 digits • DC voltage Range 600.0 V • Accuracy 1.0% ± 5 digits • Resistance Range 400.0 Ω / 4000 Ω / 40.00 kΩ • Accuracy 1.0% ± 5 digits • Continuity ≤ 30 Ω • Capacitance 0 to 100.0 μF / 100μF to 1000 μF • Frequency 5.0 Hz to 500.0 Hz • AC response True-RMS • Backlight Yes • Data hold Yes
4	1	pc	<p>CORDLESS SCREWDRIVER</p> <ul style="list-style-type: none"> • Screwdriver Combo 3.6V 1.5AH Li-ion Cordless Screwdriver Combo Kit • LED job light for bright illumination of the work piece, makes locating the screw easier • Forward and reverse switch, two button switches located on the grip of the screwdriver turn the motor in forward or reverse • Powered by 3.6V / 1.5Ah Built in battery charged through micro USB connector port and the bottom of the grip • Lamp switch LED lamp can manually be turned on and off from the switch located at the base of the grip

			<ul style="list-style-type: none"> • Straight or pistol grip style screwdriver easily folds and locks into either straight or pistol grip position. • Voltage: 3.6V • Battery type: In-built Li-ion • No load speed: 220rpm • Driving shank: 1/4" Hex • Max fastening torque: 4Nm • Max capacity (wood screw): Ø3.8mm x 32mm • Noise K: 3dB(A) • 1 x 1.5Ah Battery in-built • 1 x AC adaptor • 81 x Drill bit pieces • 1 x Carry case
5	1	pc	ANGULAR SANDER <ul style="list-style-type: none"> • Voltage:220-240V~50/60Hz • Input power: 240W • No-load speed:14000rpm
6	1	pc	CUT-OFF MACHINE 14"/16" <ul style="list-style-type: none"> • 200W, 230V
7	2	pcs	ANGEL GRINDER 4" <ul style="list-style-type: none"> • 100mm • 230V/60Hz