## Republic of the Philippines OVERSEAS WORKERS WELFARE ADMINISTRATION OWWA Center Bldg., F.B. Harrison St., Cor. 7th St., Pasay City Tel# 833-0113 Telefax# 833-1010

P.R. No. 2024-05-0060 DATE: 13-May-24

## REQUEST FOR QUOTATION / PROPOSAL

COMPANY NAME:

ADDRESS OF COMPANY:

To whom it may concern:

Please quote your lowest price/s (taxes included) on the lot or item/s below, subject to the General Conditions indicated herein, stating the shortest time of delivery and submit your quotation using your company letterhead or this form duly signed by your official representative to Overseas Workers Welfare Administration, Third Floor OWWA Center Building, 7th Street corner, FB Harrison, Pasay City not later than 21 May 2024 @ 10:00 a.m.

Engr. GERARDO S. GATCHALIAN SAO, PPMD

NIMEA C. UNICA PROJECT TITLE/NAME: Proposal for One (1) Lot - Supply and Delivery of Various Electrical, Telephone,

PROJECT TITLE/NAME: Proposal for One (1) Lot - Supply and Delivery of Various Electrical, Telephone, Hardware/Construction and Plumbing Supplies						DEALER'S/SUPPLIER'S OFFER	
TEM NO.	SPECIFICATIONS	QTY	UNIT	APPROVED BUDGET FOR CONTRACT (ABC)	UNIT COST (Vat inclusive)	TOTAL COST (Vat inclusive)	
	Supply and Delivery of Various Electrical, Telephone, Hardware/Construction and Plumbing Supplies	1	lot	P 605,000.00			
1.	Battery, AA Rechargeable, enelope	10	pcs				
2.	Box, Surfacer	50	pcs				
3.	Cable Tie, HD, 10 inches, black,(100pcs/pack)	10	pcs				
4.	Circuit Breaker, 20T, 230V,1PH, Bolt-on G.E.	10	pcs				
5.	Circuit Breaker, 20T, 230V,1PH, Plug-in G.E.	10	pcs				
6.	Circuit Breaker, 30T, 230V,1PH, Plug-in G.E.	10	pcs				
7.	Circuit Breaker, 40T, 230V,1PH, Plug-in G.E.	10	pcs				
8.	Circuit Breaker, 40T, 230V,3PH, Bolt-on G.E.	10	pcs				
9.	Contact Cleaner, Electrical (WD-40)	5	cans				
10.	Moulding, PVC % "Atlanta"	100	pcs				
11.	Outlet, Convenience, wide series, duplex type with ground	30	sets				
12.	Plug Male, HD	20	pcs				
13.	Switch, 1-Pole wide series, 1-gang	10	sets				
14.	Switch, 1-Pole wide series, 2-gang	10	sets				
15.	Switch, 3-Way, wide series	24	sets				
16.	Tape, Electrical	50	pcs			=-10-	
17.	Tape, Cloth 48 mm	20	pcs				
18.	Wire, Electrical #16, Flat Cord, 150 meters	2	roll				
19.	Wire, Electrical #18, Flat Cord, 150 meters	2	roll				
20.	Electrical Wire # 8.0 mm, THHN 90Deg./THWN 75Deg. 600V, stranded, 150 mtr,conductorbadr soft annealed copper perASTM B-3, class B stranding per ASTM 8 (PN 1207). Insulated lead free, flame retardant PVC perUL standard 83 jacket-clear nylon per UL standard 83 for THHN or THWN wire, flame test UL 1685. 70,000 BTU/hour flame test. Attached copy of Technical sheet. Sealed packaging with PS mark seal. PHILFLEX	3	roll				
21.	Electrical Wire # 1.25 mm, TF, 600V, stranded, 150 mtr,conductorbadr soft annealed copper perASTM B-3, class B stranding per ASTM 8 (PN 1207). Insulated lead free, flame retardant PVC perUL standard 83 jacket-clear nylon per UL standard 83 for THHN or THWN wire, flame test UL 1685. 70,000 BTU/hour flame test. Attached copy of Technical sheet. Sealed packaging with PS mark seal. PHILFLEX	2	roll				

22.	Etectrical Wire #2.0mm, THHN 90Deg./THWN 75Deg. 600V, stranded, 150 mtr,conductorbadr soft annealed copper perASTM B-3, class B stranding per ASTM 8 (PN 1207). Insulated lead free, flame retardant PVC perUL standard 83 jacket-clear nylon per UL standard 83 for THHN or THWN wire, flame test UL 1685. 70,000 BTU/hour flame test. Attached copy of Technical sheet. Sealed packaging with PS mark seal. PHILFLEX	6	roll			
23.	Electrical Wire # 3.5 mm, THHN 90Deg./THWN 75Deg. 600V, stranded, 150 mtr,conductorbadr soft annealed copper perASTM B-3, class B stranding per ASTM 8 (PN 1207). Insulated lead free, flame retardant PVC perUL standard 83 jacket-clear nylon per UL standard 83 for THHN or THWN wire, flame test UL 1685. 70,000 BTU/hour flame test. Attached copy of Technical sheet. Sealed packaging with PS mark seal. PHILFLEX	6	roll			
24.	Electrical Wire # 5.5 mm, THHN 90Deg,/THWN 75Deg. 600V, stranded, 150 mtr,conductorbadr soft annealed copper perASTM B-3, class 8 stranding per ASTM 8 (PN 1207). Insulated lead free, flame retardant PVC perUL standard 83 jacket-clear nylon per UL standard 83 for THHN or THWN wire, flame test UL 1685. 70,000 BTU/hour flame test. Attached copy of Technical sheet. Seated packaging with PS mark seal. PHILFLEX	2	roll			
25.	LED Panel lights, round, recessed mounted, 6 inches, 12Watts, PSU 220V, 3-colors temperature, daylight, coollight & warmlight	25	pcs			
26,	LED Panel lights, 600mmx600mm, recessed mounted, PSU 220V, 32-40w, coollight	110	pcs			
27.	Telephone coil cord, 1 mtr. (Spiral Cord)	50	pcs			<u> </u>
28.	Telephone Line Cord (7ft long)	50	pcs			
29,	Telephone Terminal Box (Telephone Modular Box)	50	pcs			
30.	Telephone Wire (UTP Cable AWG CAT6 Belden)	1	flor			
31.	Telephone Handheld	40	pcs			
32.	Brush, Baby Roller with handle, Cotton, Heavy Duty	50	pcs			
33.	Brush, Roller 7" with handle Polyester, Heavy Duty	30	pcs			
34.	Brush, Paint 2", White, Long Bristle, HD	50	pcs			
35.	Brush, Paint 3", White, Long Bristle, HD	20	pcs			
36.	Door Lockset, with 3-nickel brass keys, Heavy Duty	10	pcs			
37.	Automatic Door Closer, Overhead, at least 65KG	5	pcs			
38.	Lacquer Clear Gloss	10	gal			
39.	Lacquer Flo	6	gal			
40.	Lacquer Surfacer	10	gal			
41.	Lacquer Thinner	10	gal			ļ <u>.</u>
42.	Sanding Sealer	10	gal			ļ <u>.</u>
43.	Sand Paper # 150, waterproof	100	pcs			
44.	Sand Paper # 600, waterproof	100	pcs	<del></del>		
45.	Sand Paper # 220, waterproof	100	pcs			
46.	Screw, Gypsum 1", metal (500pcs/box)	10	box		<u> </u>	
47.	Screw, Gypsum 2", metal (500pcs/box)	10	box		<u> </u>	
48.	Waterproofing Sealant, sachet, 250 grams	30	qrts			
49.	Contact Cement	5	gal			<u> </u>
50.	Adhesive, Liquid for PVC	5	qrts			<u> </u>
			<del>                                     </del>	·	<del>  -</del>	<del> </del>
	Additional Documentary Requirements must be submitted upon	_			1	
	submission of offer:	<del> </del>	<u> </u>	ļ <u>-</u>		
	1, PhilGEPS Certificate or PhilGEPS Registration Number	<u> </u>				
	2. Mayor's / Business Permit	<del> </del>			-	<del> </del>
ļ	3. Income Tax Return (latest)	1				
	Please take note that the Omnibus Sworn Statement shall be submitted within 5 days upon acceptance of Notice of Award.					
	Note: Bidders may also submit their bid proposal and supporting documents through email address: procurement@owwa.gov.ph					
1				· · · · · · · · · · · · · · · · · · ·		

- GENERAL CONDITIONS
  1. Entries must be typewritten / if handwritten, it must be clear and legible;
  2. Bidders must submit certificate of PHILGEPS Registration;
  3. Bidders must submit necessary business permits (SEC, LGU, DTI, CDA, etc.);
  4. All quotation can be submitted through the following means: a) in a SEALED ENVELOPE, or b) thru ELECTRONIC MAIL, or c) FACSIMILE. Label the envelope with the following:

  Bidder's Company Name
  PHILGEPS Reference No.
  Project Title/Name
  PR No.
  5. Item/s delivered must have warranties for unit replacements, parts, labor or other services;
  6. Quoted prices must be inclusive of taxes and shall not exceed the Approved Budget for the Contract (ABC);
  7. Proposal/Quotation submitted without signature of the authorized signatory shall not be accepted;
  8. Proposal/Bid modifications submitted beyond the scheduled deadline shall not be considered;
  9. Price quoted' submitted on the deadline shall be considered as final and unalterable;
  10. Use of non-discretionary/non-discretionary/non-discriminatory selection criteria as tie-breaking method in case of two or more bidders determined and declared as the Lowest Calculated and Responsive Bidder (LCRB) in accordance with GPPB Circular No. 06-2005;
  11. The OWWA reserves the right to accept or reject any bid, to annut the bidding process, and to reject at any time prior to contract award, without thereby incurring any fiability to the affected bidder or bidders.

	Date
	Company Tel./Fax/Mobile No.
	Designation
	Print Name and Signature of Authorized Representative
	Company Name
PRICE VALIDITY: 60 days from date of quotation/proposal	
TERMS OF PAYMENT: Government Terms	
DELIVERY: 30 calendar days upon receipt of PO/NTP	