

Republic of the Philippines
OVERSEAS WORKERS WELFARE ADMINISTRATION
 OWWA Center Bldg., F.B. Harrison St., Cor. 7th St., Pasay City
 Tel# 833-0113 Telefax# 833-1010

P.R. No. 2024-05-0062

DATE: 14-May-24


REQUEST FOR QUOTATION / PROPOSAL

COMPANY NAME:

ADDRESS OF COMPANY:

To whom it may concern:

Please quote your lowest price/s (taxes included) on the lot or item/s below, subject to the General Conditions indicated herein, stating the shortest time of delivery and submit your quotation using your company letterhead or this form duly signed by your official representative to Overseas Workers Welfare Administration, Third Floor OWWA Center Building, 7th Street corner, FB Harrison, Pasay City not later than **21 May 2024 @ 10:00 a.m.**


Engr. GERARDO S. GATCHALIAN
 SAO, PPMD


NIMFA C. UNICA
 OIC, PPMD

| PROJECT TITLE/NAME: Proposal for One (1) Lot - Supply and Delivery of Various Tools for repair and Maintenance Works | | | | | DEALER'S/SUPPLIER'S OFFER | |
|--|--|----------|------------|------------------------------------|---------------------------|----------------------------|
| ITEM NO. | SPECIFICATIONS | QTY | UNIT | APPROVED BUDGET FOR CONTRACT (ABC) | UNIT COST (Vat inclusive) | TOTAL COST (Vat inclusive) |
| | Supply and Delivery of Various Tools for repair and Maintenance Works | 1 | lot | ₱ 100,000.00 | | |
| 1. | ANGLE GRINDER, 4" (100mm) (840w) 230V | 2 | PCS | | | |
| 2. | CORDLESS BRUSHLESS DRILL DRIVER 20V XR Li-Ion | 1 | PC | | | |
| 3. | BRUSHLESS CORDLESS OSCILLATING MULTI-TOOL 12V XR Li-Ion | 1 | PC | | | |
| 4. | DUAL RANGE NON-CONTACT VOLTAGE TESTER WITH FLASHLIGHT, 12-1000V AC | 2 | PCS | | | |
| 5. | MOBILE TOOL BOX | 5 | PCS | | | |
| 6. | LINEMAN'S SQUARE DIAGONAL CUTTING PLIERS, 8in | 8 | PCS | | | |
| 7. | LINEMAN'S SIDE CUTTING PLIERS, 8in | 8 | PCS | | | |
| 8. | SLIP JOINT PLIER, 6in | 8 | PCS | | | |
| 9. | LONG NOSE PLIER, 8in | 8 | PCS | | | |
| 10. | END NIPPER PLIER, 6in | 8 | PCS | | | |
| 11. | SCREWDRIVER 1/8" X 2 1/2" | 8 | PCS | | | |
| 12. | SCREWDRIVER 1/8" X 4" | 8 | PCS | | | |
| 13. | SCREWDRIVER 1/8" X 6" | 8 | PCS | | | |
| 14. | SCREWDRIVER 3/16" X 4" | 8 | PCS | | | |
| 15. | SCREWDRIVER 3/16" X 8" | 8 | PCS | | | |

ONE (1) LOT SUPPLY AND DELIVERY OF VARIOUS TOOLS FOR REPAIR AND MAINTENANCE WORKS

ABC: 100,000.00

| NO | ITEM DESCRIPTION | QTY | UNIT |
|----|--|-----|------|
| 1 | Angle Grinder, 4" (100mm) (840W) 230V Technical Specs: Wheel diameter: 100 mm (4") Grinding capacity with depressed center wheel: 100 mm (4") Grinding capacity with abrasive disc: 100 mm (4") Grinding capacity with diamond wheel: 100 mm (4") No load speed: 11,000 rpm Dimensions: 271 mm x 118 mm x 97 mm (10-5/8" x 4-5/8" x 3-13/16") Net weight: 1.9 kg (4.2 lbs) Power supply cord: 2.5 meters (8.2 feet) | 2 | PCS |
| 2 | Cordless Brushless Drill Driver 20V XR Li-Ion, Technical Specs: Voltage: 20V No load Speed : 0-500/0-1750rpm Max Torque (Hard/Soft) : 65/24Nm Chuck Capacity : 13mm Max Drilling Capacity (Wood/Metal) : 30/13mm Battery Chemistry : XR Li-ion Battery Type : 2.0Ah | 1 | PC |
| 3 | Brushless Cordless Oscillating Multi-Tool 12V XR Li-Ion, Technical Specs: Battery Voltage 12V Battery Type Li-Ion Oscillating Frequency 18,000 OPM Impact Energy 1.1 J Oscillating Angle 1.6° Uncertainty K 1 (Vibration) 1.5 m/s ² Sound Pressure 86 dB(A) Sound Pressure Uncertainty 3 dB(A) Sound Power 97 dB(A) Sound Power Uncertainty 3 dB(A) | 1 | PC |
| 4 | Dual Range Non-Contact Voltage Tester with Flashlight, 12 - 1000V AC, Technical Specs: Type: Dual Range with Flashlight Application: Non-Contact Detection and Testing of AC Voltage Special Features: Flashlight, LED and Audible Beep Indications, Auto-Power Off, Pocket Clip Material: Polycarbonate Drop Protection: 6.6' (2 m) Voltage: Range 1: 12 – 1000V AC; Range 2: 70 – 1000V AC Frequency: 50 - 500 Hz Pollution Degree: 2 Ingress Protection: IP67: Dustproof and Waterproof Standard: CAT IV 1000V Included: NCVT; Batteries Batteries: 2 x AAA Battery Life: 125 hr Overall Length: 5.70" (14.5 cm) Overall Height: 0.93" (2.4 cm) Overall Width: 1.09" (2.8 cm) Weight: 1.9 oz (51.0 g) UPC: 92644693236 | 2 | PCS |

| | | | |
|----|---|---|-----|
| 5 | Mobile Tool Box | 5 | PCS |
| 6 | Lineman's Square Diagonal Cutting Pliers, 8in | 8 | PCS |
| 7 | Lineman's Side Cutting Pliers, 8in | 8 | PCS |
| 8 | Slip Joint Plier, 6in | 8 | PCS |
| 9 | Long Nose Plier, 8in | 8 | PCS |
| 10 | End Nipper Plier, 6in | 8 | PCS |
| 11 | Screwdriver 1/8" X 2 1/2" | 8 | PCS |
| 12 | Screwdriver 1/8" X 4" | 8 | PCS |
| 13 | Screwdriver 1/8" X 6" | 8 | PCS |
| 14 | Screwdriver 3/16" X 4" | 8 | PCS |
| 15 | Screwdriver 3/16" X 8" | 8 | PCS |
| 16 | Screwdriver 1/4" X 2 1/2" | 8 | PCS |
| 17 | Screwdriver 1/4" X 4" | 8 | PCS |
| 18 | Screwdriver 1/4" X 8" | 8 | PCS |
| 19 | Screwdriver 5/16" X 8" | 8 | PCS |
| 20 | screwdriver 5/16" X 10" | 8 | PCS |
| | Scred Driver Technical Specs: | | |
| | Cushion grip Philips screwdriver is chrome plated which is corrosion resistant soft grip handle provides better comfort and its used for fastening nuts and bolts | | |
| | Bi-material(PP+TPR) soft grip handle providing excellent comfort | | |
| | Chrome vanadium(Cr-V) blade for durability | | |
| | Magnetic tips for easy pick up and screw locator | | |
| | Three-sided handle allowing more torque with anti-slip and anti-rolling features | | |
| | Ergonomic design with finger point in neck-down area for precise control | | |
| | Built-in-hang hole for easy storage | | |
| | Screw tip identification on the handle for faster accessibility | | |
| 21 | Steel Tape Measure, 8M | 5 | PCS |

Prepared By:


JUAN M. PARCO JR.

OIC, EGSD